

The **REVROY** Brand of Baggage Scanners are designed for delivering long reliable life. The **RR-UNX-5636** Baggage Scanner is ideal for Office, Factory, Malls and other Such public Places where the need to scan articles if within the dimension of 560mm in Width and 360mm in Height.

### General Specifications

⚙ Tunnel Size	: 560 (W) ×360 (H) mm
⚙ Conveyor Speed	: 0.22m/s
⚙ Conveyor Max Load	: 150 kg
⚙ Single inspection dosage	: <1.01μGy
⚙ Leakage radiation	: <0.06μGy/h
⚙ Wire Resolution	: 40AWG
⚙ Steel Penetration	: 40mm
⚙ Film Safety	: For ISO 1600



### X-RAY GENERATOR

⚙ Orientation	: Upward
⚙ Tube Current	: 0.4-1.25mA (adjustable)
⚙ Anode Voltage	: 80-160KV (adjustable)
⚙ Angle	: 80°
⚙ Generator cooling/working periods	: Sealed oil bath with forced air/100%

### OPERATING ENVIRONMENT

⚙ Storage Temperature	: -20oC to 60oC
⚙ Operating Temperature	: 0oC to 45oC
⚙ Relative Humidity	: 20 to 95% non-condensing
⚙ System Power	: 220 VAC (±10%) 50±3HZ
⚙ Power wastage	: 1.0 KW (Max)
⚙ Noise	: <55DB

### X-RAY Sensor:

⚙ Shape	: L-shaped array detector, 24bit
---------	----------------------------------

### Image Performance System

⚙ Display	: High-resolution 19 inch color LCD display
⚙ Color quality	: 24-Bit real colors based on materials
⚙ Edge enhancement	: Object contour edge is more distinct
⚙ Super image enhancement	: Image detail is more distinct
⚙ High penetration display	: Increase the contrast of bright area in image to make the area that is easy to penetrate appear more clearly



- ⚙ Low penetration display : Increase the contrast of dark area in image to make the area that is difficult to penetrate appear more clearly.
- ⚙ Magnifier : Partial magnifying function
- ⚙ Brightening/dimming : Increase/Decrease brightness of image
- ⚙ Image recurrence : Display the previous twenty images and process any one of them
- ⚙ Image restoration : Restore image to initial status
- ⚙ Image storage : Real-time store any image and process it in operation status

### Multi-Energy:

- ⚙ Choice of Energy : High/Low energy Switch Selectable

### Color material identification

- ⚙ Organic Object Colour Code : In orange,
- ⚙ inorganic Object Colour Code : In blue,
- ⚙ Mixture Colour Code : In green
- ⚙ Assists also on the detection of drug and explosive powder.

### Special features

- ⚙ Network interface : Capable of connecting to LAN, and support multi-terminal check for baggage at same time
- ⚙ Safety ray : Ray is transmitted under automatic control, avoiding the error
- ⚙ One-key shutdown control : Just rotate the key to shut down the machine; it is safety, easy and convenient
- ⚙ Eagle eye : Capable of expediently observing the magnifying area
- ⚙ Self-diagnosis function : Give message automatically if malfunction for prompt maintenance



Factory



Bank



Hospital



Government





# REVROY

Solutions For Controlled Access

## CONTACT

Ravi@revroy.com | Info@revroy.com

+91 080 41302021, +91 080 41571225, +91 9840294082

### SALES OFFICE

No.#13, Hamdh Court Building,  
Mother Teresa Road, Austin Town,  
Bangalore-560 047, India

### FACTORY

Plot No 143-B, Bommasandra Industrial Area  
Bangalore-560099, Karnataka. India.  
+91 80 41658921

“Finest from the very best from around the world”



[www.revroy.com](http://www.revroy.com)