

PROTECTS

WHAT IS MOST

PRECIOUS



**CEASEFIRE HOME & CAR
FIRE EXTINGUISHERS RANGE**





FEW MINUTES. THAT'S ALL THE TIME YOU HAVE BEFORE A FIRE GETS OUT OF CONTROL.

That's the same amount of time you have to detect the fire, rush your family to safety and fight the fire.


Packed with modern utilities for a comfortable lifestyle, homes have become extremely prone to fire. A spark in the electrical panel, a short circuit in the air conditioner or heater, an open flame in the mandir, a carelessly tossed matchstick, an unattended stove, a gas leak; these dangers lurk around the walls of our homes at all times.

The fire services are always on hand to help with a fire emergency, but the reality is that given the way our traffic conditions are today, chances are help won't arrive on time. In most cases, by the time fire tenders reach the scene of fire, they have already lost the little window to control fire and prevent damage.

Resorting to flooding the area to prevent the fire from spreading, and leaving the home where fire occurred charred and levelled.



Fire Grows Exponentially



Depending on external help to protect the lives of your loved ones, and save what took you a lifetime to build, is dangerous. That's where **Ceasefire's Home & Car Fire Extinguishers** come in.



FIGHTS CLASS

A B C ⚡

STANDARDS

EN3 PED

CERTIFICATIONS



EN 3 LPCB Cert ref. 1329b

CE 1128

CERTIFYING BODY

bre



The picture of your parents on the side table. The souvenir from your last vacation. The sofa set you spent hours choosing. We know the time you've spent and the effort you've made to make your house a home, which is why we created masterpieces that complement it, while protecting it.

Designed to match the aesthetics of your home, so that it's not tucked out of sight in a fire situation, Ceasefire's Designer range of extinguishers are art installations of fine stainless steel and ink, crafted to meet international standards and designed to exceed them. Making these extinguishers true works of art. Art that save property and lives.



ENGINEERED TO SAVE LIVES



Unique pressure gauge shows that the extinguisher is ready to use if the needle points to green.

Easy-grip plastic handle

Tamper-proof, easy to pull yellow seal

Precision engineered valve assembly

Rust treated inner cylinder

Epoxy powder coated, outside and inside

Leak-proof, deep drawn steel body

Pilfer-proof bracket



The Ceasefire Designer Extinguisher uses a combination of mono ammonium phosphate (MAP) and ammonium sulphate, packed into a stainless steel extinguisher. The ABC powder ensures a 90% concentration of MAP is available to fight the flames, maximising the extinguisher's firefighting power.

We've also created a clean agent Designer Extinguisher that fights fire without leaving any residue. Powered by an eco-friendly and powerful extinguishing agent, HCFC 123, this firefighter packs in mega power, and is absolutely safe on sensitive electronic equipment. The lightweight extinguisher has a powerful throw, to penetrate past the finest grills and meshes.

FEATURES *(MAP 90 VARIANT)*



Effective against Class A, B and C as well as Electrical fires:

No matter the fire, the Designer comes to the rescue. The multiple applications of the extinguishing agent help save valuable time while the agent's effectiveness maximises the firefighting power.



Aesthetically Pleasing:

The modern home is driven by aesthetics. Ceasefire's Designer Extinguishers are created to match the aesthetics of your home, while protecting it.



MAP 90:

90% concentration of Mono Ammonium Phosphate maximises the firefighting power of the extinguisher.



Highly Effective:

Built for speed, power and reliability.



Quality Control:

Stringent quality control and multiple point testing systems ensure that when you are faced with a fire, these extinguishers will deliver.



Standards:

Virtually every Ceasefire extinguisher has ISO 9001 and CE certifications, and conforms to ISI standards.



Easy Snap Safety Seal:

A completely tamper-proof safety seal that can be broken in seconds.



Simplicity in Handling:

The easy-grip plastic handle aids simplicity in handling.



Discharge Mechanism:

A simple discharge mechanism allows you to control the discharge and optimise the use of the extinguishing agent.



World Class Quality :

Comes with ISO 9001 and CE certification, and conforms to ISI standards. Comprehensive Helium Tests and Leak Tests also guarantee that the products you buy are manufactured according to the world's most stringent quality standards



Warranty:

The 6 year Warranty means Ceasefire is looking out for the health of your fire safety products.

FEATURES *(HCFC 123 VARIANT)*



The Greenest Extinguisher Ever Built:

It is suitable for use on electric equipment and minimises post fire damage. As a part of Ceasefire's Designer Range, these specially designed extinguishers will blend in well with your stylish interiors.



Aesthetically Pleasing:

The modern home is driven by aesthetics. Ceasefire's Designer Extinguishers are created to match the aesthetics of your home, while protecting it.



Residue-Free:

It leaves no residue making it safe for use on sensitive equipment.



Easy Snap Safety Seal:

A completely tamper-proof safety seal that can be broken in seconds.



Simplicity in Handling:

The easy-grip plastic handle aids simplicity in handling



Pressure Gauge:

The world's smallest and yet remarkably easy to read, this is the only pressure gauge that can be tested onsite, using a special magnet to ensure that it is working perfectly and is 100% accurate.



World Class Quality :

Comes with ISO 9001 and CE certification, and conforms to ISI standards. Comprehensive Helium Tests and Leak Tests also guarantee that the products you buy are manufactured according to the world's most stringent quality standards



Discharge Mechanism:

A simple discharge mechanism allows you to control the discharge and optimise use of the extinguishing agent.



Warranty:

The 6 year Warranty means Ceasefire is looking out for the health of your fire safety products.





Sizes Available: 500 g and 1 kg

Variants Available: MAP 50 and MAP 90

Ceasefire Home & Car Extinguishers Range

TECHNICAL SPECIFICATIONS:

NOMENCLATURE FOR PORTABLE FIRE EXTINGUISHER	Fire Ext HCFC123-500Gms MS SP Red Texture	Fire Ext HCFC123-500Gms MS SP Ivory Texture	Fire Ext HCFC123-500Gms MS SP Blue Texture	Fire Ext HCFC123-500Gms MS SP Silver Texture	Fire Ext HCFC123-1Kg MS SP Red Texture	Fire Ext HCFC123-1Kg MS SP Ivory Texture	Fire Ext HCFC123-1Kg MS SP Blue Texture	Fire Ext HCFC123-1Kg MS SP Silver Texture	Fire Ext HCFC123-1Kg MS SP Red
PRODUCT CODE	CF-00028	CF-00027	CF-00026	CF-00029	CF-000236	CF-000235	CF-000234	CF-000237	CF-001184
PRESSURE TYPE	Stored Pressure	Stored Pressure	Stored Pressure	Stored Pressure	Stored Pressure	Stored Pressure	Stored Pressure	Stored Pressure	Stored Pressure
EXTINGUISHING AGENT	HCFC-123	HCFC-123	HCFC-123	HCFC-123	HCFC-123	HCFC-123	HCFC-123	HCFC-123	HCFC-123
APPLICABLE ON FIRES	A, B, & Electrical Started Fire	A, B, & Electrical Started Fire	A, B, & Electrical Started Fire	A, B, & Electrical Started Fire	A, B, & Electrical Started Fire	A, B, & Electrical Started Fire	A, B, & Electrical Started Fire	A, B, & Electrical Started Fire	A, B, & Electrical Started Fire
IS 15683 RATINGS	NA	NA	NA	NA	NA	NA	NA	NA	NA
	NA	NA	NA	NA	NA	NA	NA	NA	NA
	NA	NA	NA	NA	NA	NA	NA	NA	NA
EN 3 RATINGS	NA	NA	NA	NA	NA	NA	NA	NA	NA
	NA	NA	NA	NA	NA	NA	NA	NA	NA
	NA	NA	NA	NA	NA	NA	NA	NA	NA
CERTIFICATION STANDARD	PED	PED	PED	PED	PED	PED	PED	PED	PED
CERTIFICATION BODY	EUROCERT	EUROCERT	EUROCERT	EUROCERT	EUROCERT	EUROCERT	EUROCERT	EUROCERT	EUROCERT
GROSS WEIGHT	Approx. 1.45 kg	Approx. 1.45 kg	Approx. 1.45 kg	Approx. 1.45 kg	Approx. 2.30 kg	Approx. 2.30 kg	Approx. 2.30 kg	Approx. 2.30 kg	Approx. 2.30 kg
NET MASS	0.500 kg	0.500 kg	0.500 kg	0.500 kg	1.00 kg	1.00 kg	1.00 kg	1.00 kg	1.00 kg
APPROX. HEIGHT OF FIRE EXT.	265 mm	265 mm	265 mm	265 mm	350 mm	350 mm	350 mm	350 mm	350 mm
DISCHARGE MECHANISM	Thumb Triggered	Thumb Triggered	Thumb Triggered	Thumb Triggered	Thumb Triggered	Thumb Triggered	Thumb Triggered	Thumb Triggered	Thumb Triggered
CAN CONSTRUCTION	DEEP DRAWN AND MIG WELDED	DEEP DRAWN AND MIG WELDED	DEEP DRAWN AND MIG WELDED	DEEP DRAWN AND MIG WELDED	DEEP DRAWN AND MIG WELDED	DEEP DRAWN AND MIG WELDED	DEEP DRAWN AND MIG WELDED	DEEP DRAWN AND MIG WELDED	DEEP DRAWN AND MIG WELDED
VALVE / CAP CONSTRUCTION	FORGING AND MACHINING	FORGING AND MACHINING	FORGING AND MACHINING	FORGING AND MACHINING	FORGING AND MACHINING	FORGING AND MACHINING	FORGING AND MACHINING	FORGING AND MACHINING	FORGING AND MACHINING
INTERNAL COATING	NO	NO	NO	NO	NO	NO	NO	NO	NO
EXTERNAL COATING	EPOXY POLYESTER POWDER	EPOXY POLYESTER POWDER	EPOXY POLYESTER POWDER	EPOXY POLYESTER POWDER	EPOXY POLYESTER POWDER	EPOXY POLYESTER POWDER	EPOXY POLYESTER POWDER	EPOXY POLYESTER POWDER	EPOXY POLYESTER POWDER
HELIUM LEAK DETECTION TESTING	YES	YES	YES	YES	YES	YES	YES	YES	YES
WARRANTY IN YEARS	6	6	6	6	6	6	6	6	6
APPROX. GUN WEIGHT IN KG	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
WORKING PRESSURE	10Bar	10Bar	10Bar	10Bar	10Bar	10Bar	10Bar	10Bar	10Bar
DIA. OF SHELL (OD)	74.5 mm	74.5 mm	74.5 mm	74.5 mm	86.5 mm	86.5 mm	86.5 mm	86.5 mm	86.5 mm
OPERATING TEMPERATURE	-30 °C to 60°C	-30 °C to 60°C	-30 °C to 60°C	-30 °C to 60°C	-30 °C to 60°C	-30 °C to 60°C	-30 °C to 60°C	-30 °C to 60°C	-30 °C to 55°C
HYDROSTATIC TEST PRESSURE	35Bar	35Bar	35Bar	35Bar	35Bar	35Bar	35Bar	35Bar	35Bar
CYLINDER MATERIAL SPEC.	Steel CR2(DC01)	Steel CR2(DC01)	Steel CR2(DC01)	Steel CR2(DC01)	Steel CR2(DC01)	Steel CR2(DC01)	Steel CR2(DC01)	Steel CR2(DC01)	Steel CR2(DC01)
BODY THICKNESS	1.2 mm	1.2 mm	1.2 mm	1.2 mm	1.6 mm	1.6 mm	1.6 mm	1.6 mm	1.6 mm

DESIGNER SERIES THE CLASSIC RANGE



The Classic Designer Series extinguishers
are available in a choice of four colours:

Blue, Ivory, Silver and Red
to match your interiors.

DESIGNER SERIES
THE ART RANGE



Ceasefire
Kiterunner



Ceasefire
Hexalight



Ceasefire
Union Jack



Ceasefire
Elasticity



Ceasefire
Waves

MULTI-ANGLE VIEW







Flat No: 302- 303 03 rd Floor, Hira Niketan, Kaliket Nagar,
Back Side Of Vatika Premier Hotel, IOCL Pipe Line Project HO
Building, Bailey Road, Danapur- Patna. Pin: 801503, Bihar
+91 9431011006, 9431076164, 9431099823, 9431133484

Base Line: 0612 3553356

Email: imagixprojects@gmail.com

www.imagixprojects.com



Ceasefire Industries Private Limited

B1/ H1, 2nd Floor, Mohan Cooperative
Industrial Estate, Mathura Rd, New Delhi - 110044

Tel: 011-4184 6800 | Call our Free Hotline : 1800 120 3473 / +91 9540 666 666



Scan the QR code
to visit our website

Website : www.ceasefire.in

Follow us on:

